



2 Track Closed Bi-Pass Installation Options


Outside Wall Mount With Deco Valance




Outside Wall Mount With Standard Valance



Semi-Inside Mount With Deco Valance




Semi-Inside Mount With Standard Valance



2 Track Closed Bi-Pass Installation Options

Full-Inside Mount With Standard Valance; No Returns




(surcharge applies)




3 Track Closed Bi-Pass Installation Options


Outside Mount With Deco Valance




Outside Mount With Standard Valance



Semi-Inside Mount With Deco Valance



Semi-Inside Mount With Standard Valance




(surcharge applies)



3 Track Closed Bi-Pass Installation Options

Full-Inside Mount With Standard Valance; No Returns





(surcharge applies)




4 Track Closed Bi-Pass Installation Options

(surcharge applies)




4 Track Closed Bi-Pass Installation Options

Semi-Inside Mount With Deco Valance




Semi-Inside Mount With Standard Valance



4 Track Closed Bi-Pass Installation Options

Full-Inside Mount With Standard Valance; No Returns




(surcharge applies)




2 Track Open Bi-Pass Installation Options


2 1/2 Louvers Open Bi-Pass
Outside Wall Mount With Deco Valance




Outside Wall Mount With Standard Valance



Semi-Inside Wall Mount With Deco Valance



Semi-Inside Wall Mount With Standard Valance





(surcharge applies)



2 Track Open Bi-Pass Installation Options


(surcharge applies)




* Brackets project 4 1/2" and are suitable for 2 and 3 track closed Bi-Pass units. Brackets may not be strong enough to support the weight of open Bi-Pass or 4-track units.

2 Track Open Bi-Pass Installation Options

Semi-Inside Wall Mount With Deco Valance; 3 1/2 Louvers



Semi-Inside Wall Mount With Standard Valance; 3 1/2 Louvers




(surcharge applies)



2 Track Open Bi-Pass Installation Options

Full-Inside Wall Mount With Standard Valance; No Returns 3 1/2 Louvers



* Brackets project 4 1/2" and are suitable for 2 and 3 track closed Bi-Pass units. Brackets may not be strong enough to support the weight of open Bi-Pass or 4-track units.

(surcharge applies)

